## St. Mary's College (Autonomous) Thoothukudi Log Book Maintenance

Tamil HoD'S Rectified Signature y (Isomian) Date Big -Complainte Signature Data / Sign Secretary 21 Capitat changed System 26/1/2023 2005 Baltery charged Arte virus to system Rosti she 25/6 King Moved charged Manifor Mouse adapter go Need parce board The property line 5/12/23 KT. Anti virus to system ( Tamildepart ment) System Not openi 84124 stal24 printer toner link 11/1/24 Printer repotes

Dato	Complaints English	HoD's Signature	Rectified Deb / Sign	Sacre
2-07-19	I B-A] Fans - 2 more for one readed (Roundo: B)6 I B-A] For each classroom. Rounda: B23 I M.A - 5 chairs - unles repair	9		
			1 rechified = 7-7-2+ 7.19	
9-07-19	Dept. of English - 13-11 - Wifi connection under repair	- F-RAN	sectoped;	
	super of anglish - 12-23 - De bancher burken	J-yPinin.	an abopted.	
et - 12 - 14	under repair	graphic	such frid.	
-29-21-2428		4+++)+16+++ 29-41-4++5	rectified	
23-09-2021	LCB projector not functioning CII CA crypich, com m; B16)	pracy ghan 231 =91121	rectabled	
30-9-201	Particle I Country that has second and a	provisional 30/09/2021	rectified oglio1'21	
	FINAL FRANCE FRANCE FRANCE	Dudiy State Jolegietzi	entered eq112121	

	Reparsment Laptop Touch Pad not functioning	quarshic 30/19/2026	vertified oglio121	TV.
12-10-221 12-10-221	1 de la comparante	Dedirghan Jelegrands Duditghan Idlio/121 Idlio/121	rectified =11101 = 1 =11101 = 1 mathematics mathemati	Engl
20/10/21	Language Lab (Dept of English Regular) Renchess conside is not working 14 batteries in the lab need lo be systemy All the systems should be updaled	N . Sounda	19 3. 32.	
10/14/24)	Black spece appear in the monitor Printer doewit work	Aproxition		ral
10-1-22 14-2.128	A fer in the Dynamour has to be tiphoned SCD Projector in third you English (E-14) needs to be sourced.	n have blue	nantipled 20.1.1 card Junit plan	

Date	Compliants English	H.O. Jr synahur	Rectified Signal
11' 0 9:03:22	K-N0 E /4	CO. C. Street	and a segure
a,	I. M. R. Englie class room - Smart Roand Sophance License should be reased. The sophance for computer scinic dept. Japtop be changed to Sytub Dept. Laptop.	N-1644 (Ingentui 244)	
14. 60.01	Computer and a Printer.		Received arms Congritor and a Printer on 16-03-22
04-04-24	condener to be repaired	prodict share	
	no; RIR, 246 I From English	quershiel	Condenser repaired on or-on-dods Once shad
13-07-202	e One imploard in the por library doesn't have proper key.	prais the	Rectified Durssen 181051 DR

13-05-2422	One imploard in the port library docents have proper key.	grait the	Rectified (matter 18J051122	4	1
28-07-12	A Far needs to be repaired in II ren. Eglish	missh	Repaired Marran	5	
13.00.21	Style room electrical morn meeds to be repaired.	12 lies			
23-0422	Toner needs to be changed		Joner charged pracy share 26/09/122		d
2-11-22	Antivirus to be updated in 3 computers				
477	Carshidge to be charged Smart soard in ITS. D. Eg. Li class nom needs to be checked	harshe	karwped		
06-03-125 d	2 Computers - hanging problem 1 computer - Display problem	boursen	Ricksfed 07/03/2425		al
	Printer drum to be changed	marshi	Rentified 10/03/2023 Anditabul 16/00/2023	VLL TES	

Data	Complaints	English	Electrician/	Hov's Signature	Pate / Sign
04-01-2024 RR-01-2024	A fan in the department has to System not opening Joner nuds 10 be charged	be repaired	100	marsher Indish	Receipt of
ne strai f	Contract - Carped South		-	Second.	Sec. 1
\$***.01:571					an a
e in					24572
a			-		
					(III)

Rectified Signature of Date HOD 5 Complaint History Date | sign. Secretary Signature I year while we Do 2 - Famel, hight - 3) 8.2. 2001 il year w. a R.No. Das - Dustbin E year ware os - Faml, wight. tobe Migh repaired Par withing For CP/5235 - Liper 2 repretent F/3286 - + light 1 31/8/24 I year UN ( Reemino Dez - alight I Fan Buitchsond = Even vor (Room No Do3 - 2 Fan alight (SwitchBoningen TO YEAR UN LROOMNO DOL - 1 Fan 2 Ph Library - 1 Fan 12 KY\_ Depretment -3 200 C LIDEARY - 3 Labien Present Cartes Hit. Deart in

Without -3 2m Warry -3 Jr Labies - 2 Jr	ATTE	6	2
28.9.2021 Pearl Research Centre, Heist Door. Window in E MA classroom Noner. 2 Ups. IL UG department. Computer URS. I. M.A. Remote & IQ Board	A CAR		His
18/11/2021 IMA class soon for repair 16.03.2022 I UG - DO <sup>2</sup> - 1 light. Bell sour IL UG - DOB - 1 light. Fan Sound IL UG - DOA - 1 light IL UG - DOA - 1 lig	a not hear	Star 2	es al c
Contraction and the second second	Ne so	Bar 1233	and the second s

Date.	Complaints History	HOD'S	Rectified Date / Sigr	Distance a
1.4.22	toner one new computer table needed	AGTER	Jung 7 5181	Deckelany
e.—	Spring repair in the Size beauf at Obreligeroom To install Easth New Computer - No power.	RUN		
up. 5. 4a	Computer Plug not functioning Labtop - 2 repair K7 -1 Toper -2	1	6	- 1
63.08.22	Tube light - II MA claim Centre Computer in the department	<u>Q</u>		
ei -y osen	Rows Reserved Contro. History Department	C.	23.	,51
rate Date	Here and a Complainty burn agaster	Alachicala Computer Work	Rectified	Generating -

e) (dratas	Rui Recenced Centre. History Day		0		il0)
caferijsa Dute	Randal for 14 or pair	North Signature	(lachicada Computer Work Spastiza	Restified Date/uep3 Sign-	Bernatary -
29.3.2022	I UG (DO4) - 1 Light - Switch board - 1 Fan II UG (DO4) - Window Hook Platform broken		42.0		
	Antivirus - 6 I HA (FIT) - 1 Fan I HA (FAI) - 1 Light Dept. Library - 1 fan		ARAL	2.4	
	-Table Mica Dept. Statt room - I Light / Dept. Speaker box	Grints-	Elle.	Q	23 10 10
9·{.34	Dept dibnery - History - I Fan Issue in Computer Plug	0/.	g Guogens Hegy S	anto series antoine	Supration of

signatu		Signature Secretary
ON	Nia Brings	
Car	53 OF	
A Part	5/05 50 . 0/11/2	Valation
	aloge 3's	1 921122 . 25602 1 921122

Redestal fan - 1 repair	.3	1 5/3 <sup>3</sup>	Vision 12
Tube fight is to draw to d			
Tube hights - & in the UGI Black		· Jor	100
Paul in the III Day class		10	
Store in IL Cut		21823	
k7 - 5			da
Toner- 1		0-153	22
Tube Lights - 2		Zalu).	The second se
fibeary fan - 1			
Library - Journal Stand -1			
		Coccett	03
the second se		Sal and	14
Lib. Computer stand			val
Switch board in I WO		Acres	4
In I min repair		API	1
Completible Aller		Supplier Supplier	stores a
	Redestal fan - 1 repair Tube Light in the department Tube Lights - 2 in the UG, Block 1 Extra Light in the III UG, Class Board in II UG K7 - 5 Tonex- 1 Tube Lights - 2 Fibrary fan - 1 Library - Journal Stand - 1 Lib. Rank List board Dept. Stand Computer to be handed own to gooddown Lib. Computer Stand Switch board in I H.A repair	Redestal fan - 1 repair Tube Light in the department Tube hights - & in the DG Block 1 Extra hight in the TI DG Class Board in TI DG k7 - 5 Tonex- 1 Tube hights - & Fibrary fan - 1 Library - Journal Stand - 1 Library - Journal Stand - 1 Lib. Rank List board Dept. Stand Compute to be handed own to gooddown Lib. Computer Stand Switch board in I H.A repair	Recessed fan - 1 repair Tube Light is the department Tube hights - 2 in the UG1 Block 1 Extra Light in the M UG9 Class Board in T UG9 K7 - 5 Tonez 1 Tube hights - 2 Fibrary fan - 1 Library - Journal Stand - 1 Lib. Rank List board Depute to be handed one to goodbar Lib. Compute Stand Lib. Compute Stand Switch board in I H.B repair Compute Stand

Date	Complainte	Ebonomics	I FIOD S	Ractified Date / sign	Signatione of
	amis class (R.NO: B25-		T DA -		secretary
and the second second	i (One Tube Light and A is means (R.N=. Ci-106)0	and Roma to be ruch	and a get have		
292021 Phinter			Master Varet	241224	
20.10-2021 Files Ra	ck Lock (Depointment)		226 Man Wannah 2 18 [10/202] 2	20/20/2021	dere
51.03 mm 1 wer	S (Department) & One Kuy Bonn. New (Economic) & Compile		Aleston Vermale	65/Nam Vigueta 107/103 (2016)	art lat
4/1/24 Osepul	Innent (Bernuts) On	. Cube light	20/12/22	1/20	
28(7/24 Speakers I. m.1	not working in IBA & Bonomius class monst	Konon Bay, Bas)	122/1/24		
29/9/24 NOAL	boord in I BA Grown	is class 1	-0 -		

Date	Complainte	Matha Signatione	Data / Sign Socreta
24.06.2019	Antivious Software - Department	appropriates without	20-06-19 1-12-10-26-
	Tonex to be replaced in the Dep	estimated printer A.P. A.D. 2	= 28-06. is A.P D. 31-
17.7.2019	Projector - Not functionary in 1.8.1 Need of UPS in the room	and II B Sc AP Jack	(I)
14-10-2mg	Department Computer Not arric		

-51. 8 - 41	I manunatics also room son were not working	1/4(+)	1/4/41	
	wheter filter in the mathematics department is not working (try)	NS HINDA	1-31-afai	
to  1=  = 1	No netconnections for the post 5 days	101/14/41.	24102	Mith
201 ava 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Fair is not convering in B-14 class coom (1) are many) projection in 3 mathematics class room and in Matho class	26/11/27	241	apo ano
is/4/a3L	pc - ups problem (Not becap) + Not Broing	104	A CALL	
830	pc - Keyboard problem ( New 10 anarge Upg) pc - Ward duite failure p.c - panel broken:			23 10 10
RA-11-23	U.P.S. HIM WORKING .	221-1-2		No B
28- n-25	P.C. not all to shut	an / window	9.79 B	100
110				


Dit.	Complaint	Hed's Dignation	Electricale / Demputer Vink Signations	Recitivitial Dato / 1960's Sign Secreda
19-9 82 	Antivirus 47 to be remembed for 3 dysrom + 3 haptops. Familie toner familie	1212	1271	14.10.22 1342 14.10.22 1342
27:23	P.C. Not working	lan -	1 10005	15.7.43 Um
nê <del>d</del> e	projector in Room NO BIL Not working	Um	13-2	
17.10-23	I year elemnoon speaker nor contring by to be renewed to 3 systems 3 haptops	Buz-		
5-2-24 27-5-24 14-8-24	Priviles terre ( to be replaced )	Uhre-		-in
1000	the second second second second		- 14A	10.600

Dat	Complaints Physics	HADS	Portified 15ign
09/07/19.	Computer buttery - clart with a	Synation	The pack
07/07/14	Keyboardo - 2 Dark Rome will a to	of on 14	00/07/19
10/10/19	Reyliando - 2 Dark Room Wall partice of	-njajm	
w[0]11	Tube lights - 3, The physics classes cartery compater and a system was a contrary of a present of	Topola.	
Halig"	Torac -be stop Applien	-51-19	and the second se
\$4ju/n' =	Torac - for staff Agalon (Some a capacital - not replaced) KT antiwood for 3 description ( Some a capacital - not replaced)	Talata	-
an a construction of the	System No: 7 -> LPU is not device on P-> Betweet is not conschaf by Richter -> Nor when is	-*	1
	- Richter -> Nor writing	Talan-	2
	Bysten No: 2 -> Cov is not substand on 4 -> System is not substand on		
	Setiena -> Unable to have proved out	into lune	Sel and

	4 -> Syden is not consist 5,7,8 mg -> Unable to lase point out 10 mg -> Treas replacement required	Telelan	Salalana	
7/12/200	1. Beather Peinter not walking. 2. Loptop Battary - to be abanged 2. OS Replacement sequired 4. Kit hery (8 mile) handand.	of Misteo	Hain and	
61012000 0 0 20/2/21	1. Epitem 10: 4 -> Egythem har containing 2. System 10: 1.3,8 -> Brankla & take print 3. System 10: 1.9 -> Mena. not maximized 4. Epitem 10: 5 -> Mena. not maximized	the las	anta)u	Physics and
. 16]16] 2010.	T monse to be explaced 390 computer 2 monitor to be explaced 390 computer 4 key would to be replaced Rep. )	Fiofia fac	e. *=)4//~	
4)114 22/2/2	Nehunde connection in somet wood lab. UPS not would get the same separat but now repair as one facing problem).	F-4]1]2 F3/414	- Aspi	es mal p
01/1/20 	Cabinat needed for CPU KI key needed for a PC and Lancould needed for a system RAM explanation needed for CPU CMOS Balting explanation headed	otale.	-Melu	

Date	Complaints .	[ ] ]	Neo's Stanibor -	Datified Sights
16/12/21	Bacdware to be aplaced in one agatem.	higi	8	i otroba
11]s]===	in the standard		14 14	*
40/3/22 12/5/22-	Tube light repairs New torse to be put in the pagepto periods		4 4 1	Frankeler E 11
24/8/22	CMOS perblam Sharing perblam Rive and beybound not vanhing Dashbap - CPU perblam, also Makar bound perblam		5 5	8-561-01
		0	1	200
	Compand	HACT	Indener	a printing tanger

	2. Os from Bridger to the same		10			
2/10/200	1. Bearder Printer not walking and					
Date	Complaint	HoD's Signatus	Electricals / Computer Work Sig	Red field Date / HeD's Sign.	Secretary	
\$ 10/22 5 11/23	Four fans to be repaired in II physics class Two frances to be replaced in physics lab	The state				
4)2(23	1. To refill beother tonce. 2. One windows as peoblem. 3. CPU-5, Motherboard peoblem. 4. Mourse - 3 herded. 5. One key board problem.	5 5 5 5 2	3. CPU take	2. rectific	S Kerizs	npi enc
5( 100	Two tube lights in the labs (physics) Two bettery for multimeter	5				2
$\eta_{a_{BS}}$	In year clare - Smort Board connection Evidge in the department. Ill year clare - Fan	2 × ~				mal
Retar	printer my rep = 5 the		-			



Date	Complaints Computer Science	HOD'S Signation	Rectified Deta Sign	Signatu
15 1 19	DIS - I A Sc compiler Science class norm - Speaken Kom is rube light - 2	2-15.4.19	2	
	Switch -2		2	
12-3-2-20	ups roum For problem	E/3/2014	Ł	
	Computerscience System Back Side bouchamage. K7 Install - & Compubers, 2 Laptop	18/3/2020		
2.7 4+21	Conjugar Lab - dight - tobe replaced with LED take .	e- 7/2/2021	¥	
	II Becom 2-10 - Fan / 2 JI compositiones- 2-10 - Fan / 2	219/2021	*	
	The light - 2 here had a		15/1/2021	
20-11.2.21	2 Generator - Matery - to be checked . Lat - AC (Azuro) - Starter Problem	a grading and a straight	000	
Date	Complaints Timo's	(alastrialy)	Rechtford	Span

20-11-2-21	2. Generator - Rathery - to be checked ." Lab - AC(Azvec) - Starter Problem	6. 9 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	17. 11 da 2 1	
Date	Complaints	Hod's 2 grature cutatriale Computer we	Redified Sign.	
(4. 10 3.033 14. 11. 2022 30 - 1. 2.023 11 ] 7/2022	Generator Service Ups own Face repair Modern repair queet (Done replaced) cable (VGA) projector _ III computer Science Projection is not contrily propely - DOS Need 4 Trade Cighto Are Stablized Peoblem	L L L A Sichden	4.1.1.2.2.2 12 12 12 12 12 12 12 12 12 12 12 12 12	Compe South
			-	

Date	Complaint	Hells Synatices	Rectification Dista   Sign	Spellin
20/6117	Ges Leskage in Lab	J MARE RY	e 517/13 J min kon	
2=16/15	Carpenter work in still river, had & class room	J Malli Ru	16 8 119 T-MEN-RH	
1.1.1	Tube Sight no (6)	J. Malk R.V	JALLE EN	
	Electrical work in the inflormate room Firl OBT Star programe	J-made en		
31 celan	Room No: BRO CFL Not WARRING. Lab-BOS : I bube light & Not WARRING Lab-BOS : I bube light? Not WARRING	S. R i Jugary	(0. faigegray	Standa -

D ats	Complaints	Hazas Signature	(Computer Work) Signature	Realized Heli's sign-	li iznetni Ç Sicertare
1. 09 .2022 0- 2-2+23	Broken Glaro Window in D15 (Erench Claronow) Plat for broken (Rosen No. B. 20) Fan (Non leineig straff) Natu pipe learny (Main lab))			0	Chen

Date	Complaint	signature		Signature of Secretary
5/8/19 6 Tuba	nguired Lighter - 6	44.	many	
K7 -	- 3 Frechtrad Ben Europhy an Tracus custome lock " he have	NCT		
Rannav	for -1 - mpligers - 2 (found miles + thead room - Ampligers - 2 (found miles + which as follows could be		4	
13/3/2000 Cango	the propress in int dependences		1	
0.2	ults Lab AIR - Swith le a Betry Lab - Rhight. I for Institut cam - I small bu	1		
Store	Class Noom 8 24 - 1 light		1	

	Store from - 1 Light	) <sub>X</sub>	1	<b>X</b>
	By class Room Bilit - 1 light Reasonable Laboratory A 18 - 2 light, 1 for	- many	î De	B
08-09.21 23-89-21 89-09-21	New Fam . Swich bound. Fridge Repair Genden hose Untivenue for a eleven computure.	M Grony M. Query M. Grony M. Grony	& RELEYEN	
	Ssmant board calibration + service		Rechtyred	Ba
10.0	Ac remote and projector remote batteries 1 System cate, 1 System URS, 1 System Service 1 Vice catele pin and window curtain for audor view Ac outlet PIPE Water line lank in P& Lab	M. Cinry	Rectified .	wal +
18-11-20	Tissue cultar Lad - No water Suply Exectine, Eystah winder Glass Switch Loose, Light - 1	Jar Grang	*** 7254+7	y and the second s

-13 HED Signal Rectificat " B9/02/21 Remarky novirrib from brid's pussence of the Glory Department of Behany - gint Tube light - staff more, E B sc classroom, I Hise 11103122 Classicom, B.St Lab, Bio-Into, matter 29.0322 Jena 2 adapted Sr Jino . - Shaff your close connection in Switch) FAR Nuo Jone ( 12 B.S. Lab) ists: - Electrical Problem. 4.41 M. GLOTT Projector 36 Ampli her \$9/04/22 30AF Battery Change Tenner kit for France M. Grong built to could some wet sharings 2 MEWLE SCIPTION topogras Repair works to be dans 3 fems, 8 lamps one sink checking invent

× J E receive active real Repairs Clarks. To be days 3 fans, 8 lamps, one work, cheering Europe to time Mr. Gie, Connection to UV Lamp 14/10/22 Automotic air conditions Sr. Jeno. 03/01/23 Ky defaitional software updates for all no departate 12 light, Garster repris -1, zink -1. bal-2, light - 2+1 my Ger done 13/03/23 Tissue culture lass to report m- alon

Date	Complaints	Hattis Septetras	Rachified Date / Sign	Secretary
19.6.19.	Vintual lab			
y.	Computers - 5 Ky antivious - (3) Tonen for the printen Aquaricum accuston - (repair)	Jan <u>er Berg</u>	19- p. 17	
11-7-19-	UPS - (repair) - Dapit 2 J. M.Sc. Class nom. Take lights - 13 (repair) Switch bound in the open air auchitarium (repair) of to M.Sc. Clear room	-	Sey (1) Part	
19. 8.19.	Incubation plug - rupmin	fri Right	24 \$ 19 Junifield	
6-9-19-	Computer (to deache the condition)	don in Terrage	Avan Brown	
16-10-14-	Wining facilities to support 3. A.C. in Vintual Caboratory. Tube light-1, Fan-1 in Partition - Laminar Shurhood.		34.10 Lundant	
	Tube light - 1 - wet lab. Tube light (Repair) - Instrumentation Room, HOD Rooms	Anna Band	Marth &	
10-10-19.		Lune	tout -	

	Tube light (Ropair) - Instrumentation Room, Hod IBSC, Hish tank. Jan (Repair) - Renovated Class soom.	Anna Banfa Jon - Stort	X
18-18-19.	3 computere - check 2 Ky manuel. Interactive board - sytem - connection - these contrinue.	function to with	
4.000	Verticing Require - I Also - I	James Royle House Rich	
13- 2-2050-	USB Hub (4) / Switch knownd (M.Sc.) - Repair / Switch knownd (Store Room) - Repair Pedastal Fan Switch - Repair / tukehigata -6.	Jan Ball	Zooly
4/*/2020	Toner - fill. Dept Computers - 2 Repair	formin Banfo to - Partie	103
1.0000000000000000000000000000000000000	Vintual lab - wet wall UPS - 2 (Virtual lab) Projecton bulb - Vintual lab Battery (Sound) - I R Sc. Class room Computer (Kyanking) - Staff room.	Junio Program	ral

Hop's Sight set [ Algon & Suchamp A 1.4 n-th Complainte Date Junio Barly 19.01.20.31 Smart board - Fix (Mr. Regm) & Internat connection: 2.02.2031 Ky-antivious - 3 systems in Vintual Late R 1 Laptop - (Mar. Bala) 11.05- ALL 7 H.S. - projection (Repairs) Frain Roof 16.08.2011 Fan (staff norm) - suppoint -26.8 16 Pedastal fan - 1. + main (new) / Grans door (staff room) - Repair-Fish tank light - sepain -M.Phil scholar moon Window - repair -Pa Chemical emploand-glass - repair -- jummed . B.Sc. lab window - repair 1 I M.Sc. Window Ferminhen - 8 repair 1 Tube lights 16.8 2021 7-9-21 7.09.2021. Staviligen (Reprigurator), stud - 1 V - S. 1-rupair cement fish tank -switch board - repoir Chronalography chander plug - repair ~ Mascum - 3box broken


7.09.20	Cement fight tank -3; 1-repair (Litte cover)	And Born	À
24-7-5021-	Chranabyrophy chamber plug repair.	American and the	
251+91 21 25-09-24-	Computer in the dept- (Reheat)-repair (working non) For conducer -4. Retension heard -1V Cable (28.2. charrow)/	the set of the set of the	
4-10- 2421.	Interactive booted - enaser - not working of (connected)	Anna Bringha Anna Bringha	4
21-10-20-2	Computer in the Dart - repair. / Computer in the Bud - abach. / Aprinten, UPS. Jud - abach. / LCD projection in I M.Sc. class - charle	from the Property Section 2021	24
•	Wash basin in Till you had - repair - 2 completel (2-not get) White wash in Dept V	James Renage &	103
24-14-4241	M.Sc. Lat - White wash behind the door M.Sc. Varanda - Tube hight that	J. Ann.	ial
Por	Mile - Lab - Switch board near life air over Mise Lab - Extension board -2 II B.S. Lab - Kine repair Near staffroom - Cupboards - lock / Staff room - Notice board - cushion	Jamie Barg France	4.4

Hops synthe Ruthing chill Signature of Shoretary Complainte Date -Bar Fish tank - cleaning - repair. construidge for printer -1. / 11-12-12-1 Prophy drain Bank Interactive Bound - (ppt only) 16-2-2022 Ky is Dept system should be activated Farmer Rompo Tube lights -3. pHmeter, colorimeter, PCR - Repair. Tapat Ign B.C. Classroom 21-3: 2022 R LA J. BORT 41.3.34 28.3. 2022. Fron - Til yn Classroom Switch baand - F. B.S. . Int. Glass broken in the supleand - stay noon. in Progh 15.5. 2022. computer keyboard ensure - repair (Staff secon) Cupleand - door hapain cupboard - lock Switch bound - 1 4 in Aqua autime wit Tube Rights - 2 23 es et dass M. Se Lab Taba Right (papair) 2 Fish trink tabe Light 2 10 B. 6 Lab The Light 2 X. Jelizalfra x. Jun

11-2-11-27			Here .	1
No. 16. 2012		x. delinge they offo6pers.	x the first	
HT-WAS	Library and chemical cupbeard (New Norder) The D Scholar room - Bureau Lock and hey Repair)	-	No the state	- 10
erifi to ta			A Margalling	
P] -07- 2023-	Pa there wellab - new pipes connection - will a dividing costs	X Alway Hang	and all a line	17
Anis-data	PG kilmany Jan - Alaw Dept, Cupbeard lock repair High tank - Wooden Acade	5 - 16	n hay	193
10-9-2022.		Janui Pranis	nulling young	wal >
	2 Jane (quevo) Fristallation in the I B.Sc hab- Switches for the Gans with wining white wark is the shall have	X- Mine Huy 23/18/2022	entrated	

Dato	and many of Complainty	HODS	(Elistical) compaties mark) Signatures .	Bat find Date / Posts Jugar	San af .
12 of tess			CANIN	La contra de la co	
10.10.2022	Chemical Capboard door mpair				
to construction	SUC CLO .	lo-10-2012	della della	x. Muge Harry	
Qo. 19 - 2022	I 8.5c halls. Ripes to be replaced (Block) Tape (new)	2. Alion Hay	C-Amain	X. Heling Gay	
91. H. 20AR		X. Juliane Upor	3	CHERK I	
ar .II. 2022	Printer Tonur fiel Manifer Dapt. computer	x 1/2 1	-CEVER-	x deling they	
63.11-2022	H & So Lab Speaker repair	X. William Anno	, r	- the second	
16.11.2022	Dupt System Cant be switched on	x. Mayellong 1412032		X. Duye Henry	4
14-12-9649	Fish tank light 5	x. do. de	returner .		
-	Fink tenk stand (old) repair	Tatolasz		1.200	
	Atopher	1	1	No chilige flow	1

14+12-4043 114+12-4043	fish tank light -5 Fish fink stand (old) repair	x allist for	-1476-11		N
	Adopter		re ally young		
06.08.2823	Tube light 2 Vistual Room Progector Remote cell 1	X Winding	x dling they	-	
15-04-2023	Mouse and Chord	N. Alling Story	x. Myzelling		
23.05.2023	Mouse wire Rinter plug point	million for the state	x Min guy		1
A-6-247	Ni-Fi not available	x reserve		0	
QC, 67-2625	Extension bound I Fight bound light 2	And the second sec	X sheling thing	Vitanas Islandas	cal a
25: 01: 4023	200 Projector (In I.B.S. class) can't be switched	m X. Wanty			



Date . Date	Complaints sign	Sgnituse	Det /Syn.	
	2. B. com. Ups is not connected. Bit com. Smart Boowd is not Jumditioning. I k com UPS Parablem. PG-library - 2 Painter not confling. 2. UPS " ".	) Here Part: Duch 31/8/21.	للمقاربين معالم المجارية م	in a la serie La serie
17-9-2021 23-9-32	Eductor is not working	Queststen	realisted	
[.10.2] -	VI. Sheps - Pix. Tiles. T. cabband - 121x tries (we have tiles) The Two Tube leggs. T. Plug points - Remere and S. Kon - I. B. com. Bor Teachers. US. Door for cub board. Y. Name board Joy. Teachers.	egsted.	Redubert.	

	6. Door for explored. Y. Name board Jow. Teachers	P	) n -1 -	-	
25.10.212 611.21. 22.11.21. 4. 42.1 22. 07.6-22.	Two Toness Jor dept. upoin work-plean same Two Toness Jos Printies. Compute early problem / not standing 3. M. com- sound Box, one Tube light near blowing - 2 cubbound hay problem. Need new cubbound hay problem. Printer is at working in where sept shappen I'th com. Small bound is not working. I'th com. Small bound is not working. I'th com. Small bound is not working.		Hal 21. Har : Gela : Gela : Gelat Gelat Re- 7	lystets . Gaber . Gaber . Galden . Provided .	
17.9 22 ( 3 3 4 4 8	Research Room - Computer in not booking /strating dilmay computer in mouse one key bound in not works Bept Modern and UPS not working. E-H-com Projector is not Blaing clean Picture. dibrary mouses and one bey brand is not working I.H.com one Tube light is not working. Un'ff connection to IT + I B.com class nooms. New Projector to I. B.com Class nooms.	-	Stulla	100 (Q)	Comm

1	president the second state of the second	Computer / Salastenter	PaD à Sign.	Raubifred Halls / Sign	Signation a
30-1-2022	Anto more in dept. computer _ explored . 17. beliger in de 2 M.Gon - not working		Steart Has)	Donazita .	
M-+1-Long-	Todas in Department competer. I Miler Class - Fan not marking propiety		Gold Rich . Rem (Arritan)	Done yoken	
16-2-2023 07-3-2023	E.M.com. class UPS not weaking . Stage Room - I fin not wanking properly I.M. Come Class - IFm not working		golde hurs	14	Viller and
27.3 -23.	2. Ariam class - I Pan not Lookay .		filline.		24
.3.W 23	Anté vinue in dept computer - sepired. Tonen in dept computer. Dept desktop = UPS not working. Dept deptop - not working.		Aurop		×
e .	The second s				
	Lance growther Brit		1.1	2.00	

Rectified HOD'S Complaints Dati Spation Dida 15m Serve 2/7/15 well water ( howerd) Switch Board  $\rightarrow$ 22/7/12 Lonn Tubo Light , fan -> Equipments 2 Tube Light , I an -> Department Toole Tennin loom  $\rightarrow$ Land - 2 bymnehium 2 fan Lamp charly N V Entrance of lis ground -> Lamp Charly A 27/9/2 Lybe & tian 25/9/21 -3 Experiment Chisty A 27/5/21 Light of Faco E Breepmant Alexing -) Chesty A 27/S/21 Light (Lamp-1) Prode Parnis Puble 3 -Charly A 29/2/20 Maker under frond Conner ) Wens Endeer 21/2/21 21/20/21 E Lager & Fan -> Cegnenesium Varial / pairing wore on the word becar and Chyp 12 4/2/ 11 11-12 11 C - Statis Jube light near ligmnaster Charley. p 23/10/21

Date	Complaints	Syndam	Rudged Dela/syn	Signature of Secretary
29/7/19	Internet connection problem	Ne	aleliga	
20/8k9	LAN Connection problem. + UPS issue. Server Slows. Action Taken - worke standed 22/8/19, Elan network, while down UPS- 6 (Single batty) + 1 (dable batty, Server - Libb Tam fined J- Monitor turned - adaptic charged - for bast system fined J- Monitor turned - adaptic charged - for bast system (on 2) y work down damp)	1	Blalight	
Rylahoro	Tube light a for troubled repair - internet (Histor) Action talen for more replaced replaced while "Tube light charped a choice replaced (Hills	Cur, surge	Cal stille	
	) Prinki - Toner - black Line . (Boothar) ) Lib-Jythin + Oper (L) - Shut down-on/printall + Antivirus - Janees 1 3) Zigited wing - Ayrlin - Ups down - 1) grs - 11 Ayrlin - Antivirus - 5) Xerox - Payr Jam	2) (el 1/2000 2) (el 1/2000		
18-12-2020	6) Whiter - Haves k Tube light - repair	Smil \$ 1.30		
26/8/2021	Take light - Repail	J.4. 104	- He The	

27.1.2020	6) Wonitor - 4 Nos Tuba light - repair	2.Smilgr120	1
26/8/2021	Tako light - Qyan fan - Qyair	2	-
- Splate	CC Tal Carolin	Child 26/8/21 when and	
<b>8</b> 1/9/202)	Toner-printic (Brother model) - by - Mr. Rug on 1 done bot Matrix - ribbon - ) - Not done	dilgapour outre	
4/10/2021	Tiles - Yepair -		
12/11/202)	3. Netelishe	White Tolice Pottone othe	
10-14 .40.21	Tube Kist .		
		& Smilly Protona Atho	1
6/14/2022	LAN ETTOR - Xeroy mile LAN ETTOR - Xeroy mile No Kland Printing dam Report Shaw conner DUPS to be Martin	Minister and me trining Category) Me Category) (Category) Category) (Category) String (Category)	P
selation .	BUPS to be	freed netry Nehort more hore Crowdow Li	bre
Rajaoon -	- CPU-button Not working (lathy) (sand 3 co Builds scenner - wire - loss concern . aj	antivour need to be fixed (to be dow) for on be done after studies come back	mal >
Hipor	I take light + 1 for Not working ?.	x - and "strike ison walking	ľ

Agnalite of Rechtined. Hoo's Hy complaints Puli Sec 1.10 10/08/2002 4 tubelight - Net containing 10/8/12 1 fan - repair 1 U 2018/22 I white new dan for Libration 26/8/22 News CPO not able to switch? 1. U. J. 19/22 10 ON mode Library Store room - No stechical 10/12 pupply ( Sigter board & bills available) Supermed See - 20/2/22 1 10/22-6100 2-Light for Store room-reputed (Stready informed Sec.) 2400123 24/10/22 \* much work done 1 Juliz Carpenter - Meth-2101ndown-In Shore Toom , + 4 took (glue) bri Jan dores + 25 tooled Reg(small) or regerance supported Gulle 44 Highlis of h Jans notworking URI+14 18/123 seendary - tekin be Ser and march of Rectification and Pending Complanti Hoo's sign Dale Ola OD DF bit 1.1.1

Dale	Complants	Hoo's sign	Bectification and	Pendage	Signat
23 1 2033	- Barreade - Henderene (Reyne hark) - 3 Ups, Huybourd, I name, IC PUZNet costing	Culile 20/1/2	a cost.		+ dali
15/23	Seperate light Switch & Librarian's Cabin	Atylaha	Q.		Numu
118/23.	Stubelights & I for is under seguis	Mitthe	CV Jul23		pla
* Halas	- MS-given Not working - Chronian pyrts - MS-given Not working + Antiviran tought - print of servetan )-added ever not writing ( words wile not connected )	y crofiels			
30/9/24.	Sector Se				
	In B-Sc. Lab - Tube light 1 (2007) - Tube light 1 Museum - Tube light - 1	30/1124			
	P. H-Sc X00) - Tube light - 2 Scholar Roim (200) - Tube light - 2. Zo labrary - Tube light - 2.	) 5011			

Date	Complaints	Signature	Date / Sign	Signature of Secretary
29/06]19 04/00/21 18/09/21	<ul> <li>Jeacher's Toilet - 3 Jab</li> <li>Cantern arose Sintex Trank - entropy of another Babboron. Blackborg:</li> <li>Tensen toilet (Western) - door does not dock j love to be set night J</li> <li><u>NCC Room</u></li> <li>System is not working (punctioning)</li> </ul>	A For Jan Rama M		

Dati	Complaint	Signarma	Rectified Date / Sign	Reputing and
Jā- 05-Jota	9 Computer dab 2 (Madanan Block) - A/C B SSC Degts - computers Anthritus explate - 3) Computer kala reference updates	Jeg to 1		7
11-25-2025 18-10-2421	FAMERA stabilizer in nor working PG chamicby half- & Take lights. Chicking the wiring-	quit 8. shiling Qintana Range	Bernin Bernin Bernin Roz 22/10/21 Roz	
22-10-2-21	J bettere classroom - 2 hubelights are not working	Bur .		N

Date	Complaints	Edition / Computer wat Right	Sanaline.	Richtfied Data /sign	Synaker of
19.04.22 19.04.22 19.04.22	k 7 Anti Vinus - Two System. 2. Tube Hight Repair (Dears 8400) Staff Office Jan - Repair Reincipes Mob Akta Conjouter Sarvice central computer Lab. I massa. I key bood proton control computer Lab. I massa. I key bood I Monitor repair. I system HDD. Isystem motor board problem	WHERE AND	X Mary Mira <u>da</u> B • Forche		Plates

Date	Complaints	Signature	Redified Date / sign	Signature
14-io-anjq	1. Painter that to be checked. 2. Scenner desent work. 3. Dre of the computers docen't work.	S. Serena Mayor		
30.0, 2.02e	1. Two tubelights have to be expanded 2. Antivitius prailages drawn to be updated for 2 systems 3. Buttay of the UPS has to be checked 4. In need of a steel Bureau for storage of files	S. Error Page		
1				10